



Application for 1” Metered Standpipe



A Yorkshire Water Service Partner

Please complete all fields in the form below. If you have any problems please contact Y.W Developer Services on tel: 0845 1 20 84 82 between 8.30am to 5pm Monday to Friday or Supply U.K. Water Division on tel: 0113 247 1099 Fax: 0113 246 7570

On completion of the application form:

Post to: Yorkshire Water, WBU Service Centre, PO Box 500, Western Way, Halifax Road, Bradford, BD6 2LZ
Fax to: 01274 804732
Email to: Standpipes@yorkshirewater.co.uk

Are You an ; Existing Account Holder New Account Applicant Cash Customer

1. APPLICANT

Company Name Contact name
Address City/Council
..... Postcode
.....
Contact telephone Numbers
Office Landline Email
Mobile Fax

2. INFORMATION

Dates Required:

Purpose for which the water is required..... From:
..... To:
Location for standpipe delivery
.....
Contact Name for Delivery Contact No.

Estimated Usage: Please tick against your expected usage scale

We will apply an ESTIMATED monthly usage charge to your invoice for water consumed subject to the following scale;

Scale 1 1 cu mtr (1000 litres) per week
Scale 2 3 cu mtr (3000 litres) per week
Scale 3 5 cu mtr (5000 litres) per week
Scale 4 Large users (road sweepers & tankers etc.)
 10 cu mtr (10,000 ltrs) per week Number of times per month you will refill the tanker.....

3. CHARGES

Standpipe Hire up to 3 months: £16.50 per wk (excl VAT)
Standpipe Hire after 1st 3 months: £12.50 per wk (excl VAT)
Annual Hire Charge (payable upon application): £567.00 (excl VAT) **£680.40 (inc.VAT)**
Cheques made payable to: Supply UK Hire Shops Limited
Water Usage Charge (per Cu Mtr – 1000 Ltrs): £1.134 (excl VAT)

Meter readings should be notified to us each month otherwise an estimated usage charge as per your nominated scale will be applied to your monthly invoice.

You may advise us of the actual meter charge by contacting us on 01132 424 888

Transport charges will be confirmed & agreed with our Hire Controllers at the point of hire:

Supply UK Ltd.
Springwell House, Springwell Road,
Leeds, West Yorkshire LS12 1BH.

4. AGREEMENT

I hereby make application to use a metered standpipe in the Yorkshire Water region for the purpose indicated above, and I have read and accept the Terms & Conditions overleaf. I understand that **I can only use a Metered Standpipe provided by Supply UK Hire Shops** and attach it to a wash out (WO). **I accept that this does NOT permit the use of a Fire Hydrant (FH).** A breach of the terms & conditions could lead to a criminal prosecution.

Signature Print Name.....Date.....

Customer Purchase Order No.

TERMS AND CONDITIONS FOR THE USE OF 1-INCH DIAMETER (MAXIMUM) STANDPIPES

1. Under no circumstances shall a Metered Standpipe be used on any hydrant marked as a 'fire hydrant' (FH).
2. The Metered Standpipe will be no larger than 1-inch in diameter.
3. Standpipes used to take water from wash out (WO) hydrants must be to Yorkshire Water Services specification and can only be provided by Supply UK. Any standpipe in use that has not been obtained from Supply UK and is therefore not an approved standpipe, will be deemed as use without consent and further action will be taken as referred to in paragraph 16 (iii) below.
4. Any party found to have been tampering with the Metered Standpipe in any way, will be subject to further action including the immediate withdrawal of the licence without a refund of the fee.
5. Each registered standpipe will be fitted with a backflow prevention device in the form of a BS6282 double check valve.
6. Standpipes and attached equipment must be kept in a clean, well-maintained condition and disinfected prior to being connected to a wash out hydrant. All standpipes and attached equipment must be properly maintained in order to minimise the risk of contamination, backflow and water leakage. Damaged and worn equipment must not be used. You may be required to show Yorkshire Water your schemes of ensuring standpipes are disinfected prior to use.
7. Water taken from a wash out hydrant must not be used for drinking or food preparation and should not be allowed to run to waste.
8. The user shall be responsible for the cost of repair of any damage caused to the wash out hydrant or associated apparatus while connecting, using or disconnecting the standpipe.
9. The user shall comply with requirements of the Road & Street Works Act and any requirements of the highway authority when using a standpipe on a wash out hydrant in "a street".
10. Yorkshire Water Services Limited will not accept liability in respect of any loss or damage caused to the property of any person or persons wherever situate by reason of the use or operation of the wash out hydrant or standpipe, or in respect of any injury suffered by any person or persons by reason of the use or operation of the wash out hydrant, standpipe. The user, by signing the "Application for a Metered Standpipe" form, agrees to indemnify Yorkshire Water against all actions, claims, damages, or demands which may result in respect of any such loss, damage, or injury.
11. Yorkshire Water Services Limited and any Fire Authority retain the right to remove any standpipe or asset from the water network at any time and for any purpose. Yorkshire Water Services Limited will not be liable for compensation claims in relation to a loss of use of supply following the removal of the apparatus.
12. Where a standpipe(s) is being used on the same site for more than one month, the customer is required to apply for a temporary or permanent metered supply for that site.
13. Any breach of these terms and conditions may result in action being taken against the Agreement holder irrespective of who was operating the standpipe at the time of the breach. It is the Agreement holder's responsibility to ensure that the terms and conditions are complied with at ALL times. Metered Standpipes can not be sub let to other companies or contractors. If a metered standpipe is found to have been sub let to a third party, action will be taken, where necessary, against the Agreement holder only who has agreed and accepted these terms and conditions.
14. You will be required to take meter readings on a monthly basis and telephone the reading to Supply UK on 01132 424 888. Action may be taken where a party fails to comply with their obligation to do so.
15. Metered standpipes contain a line strainer (filter) which must be maintained and kept clean. The hirer and operator of the standpipe will be liable for any costs incurred to Supply UK /Yorkshire Water as a result of damage to the metered standpipe or hydrant
16. Yorkshire Water Services Limited reserve the right to:
 - (i) Instruct the user not to use any specific wash out hydrant,
 - (ii) terminate any consent or agreement should the user be in breach of any of these terms and conditions,
 - (iii) Instigate prosecution proceedings pursuant to Section 174 (3) of the Water Industry Act 1991 in respect of water taken in contravention of these terms and conditions, the Water Regulations or any drought orders that may be imposed. Yorkshire Water Services Limited reserves their rights in full to take any such action.
 - (iv) Audit company vehicles using Yorkshire Water wash out hydrants to ensure all terms and conditions are met.

Operating Hydrants

When attaching a Standpipe

- Clean out the hydrant pit of any debris
- Spray the hydrant and standpipe with disinfection spray (e.g. Milton)
- Do not apply any bending or sideways load to the standpipe
- Operate the spindle at arms length
- Always open and close the hydrant in a slow and controlled manner
- Flush the hydrant to clear the connection point
- Do not cross thread the outlet
- Visually inspect the standpipe to confirm it is fitted correctly
- Do not stand directly over the hydrant
- If any hydrant fails in operation, please report to Yorkshire Water immediately