



## Drought Permit

Section 79A Water Resources Act 1991 as amended by the Environment Act 1995

The Environment Agency ("the Agency") grants this drought permit to:

Yorkshire Water Services Limited ("the Water Company")

Western House  
Halifax Road  
Bradford  
West Yorkshire  
BD6 2SZ

Company registration number 02366682

The Water Company is authorised by licence serial number 2/27/05/032 dated 20 June 2025 ("the Licence") to abstract water and is required to operate in accordance with the provisions of the Licence. This drought permit suspends and/or modifies the provisions of the Licence to the extent set out in the Schedule of Conditions.

This drought permit commences from the effective date shown below and shall remain in force until the date of expiry shown below.

All other provisions of the Licence remain in full force and effect.

**Signed** **Date of issue**.....01 September 2025

**Ian Foster** **Date effective** ..... 01 September 2025

Acting Area Director

**Date of expiry**.....01 March 2026

Environment Agency  
Lateral House  
8 City Walk  
Leeds  
LS11 9AT

Note: References to "the Agency" are to the Environment Agency or any successor body

## SCHEDULE OF CONDITIONS

### 1. COMPENSATION FLOW

- 1.1 Subject to conditions 3.1.3 or 3.3 of this permit, Condition 9.1 of the Licence is substituted with the following:

Subject to conditions 1.2 and 1.3 the Water Company shall make a uniform and continuous release of compensation flow of not less than 21,700 cubic metres per day from Underbank Reservoir over or through the "Underbank Gauge" to the Little Don River (or The Porter River) at National Grid Reference SK 25331 99154 (or such other location as specified in writing by the Agency).

- 1.2 Condition 9.2 of the Licence is substituted with the following:

The Water Company shall maintain a gauge at Underbank Reservoir for measuring the distance in metres between the level of water therein and the top water level thereof, and subject to conditions 1.3, 3.1.3 and 3.3:

Provided that:

(i) During any period when the Water Company maintains in the said reservoir a gauge for measuring the distance in metres between the level of the water therein and the top water level thereof, if the said distance at 9:00am on any Monday equals or exceeds the figure shown in column 2 of the following table opposite to the number of that Monday in column 1 (the first Monday in each calendar year being numbered 1 and each succeeding Monday being numbered consecutively thereafter) the said quantity flowing over or through the Underbank Gauge in each subsequent day shall not be required to exceed 8,000 cubic metres until the said distance at 9:00am on any subsequent Monday equals or is less than the figure shown in column 3 opposite to the number of that Monday.

| Column 1 | Column 2 | Column 3 | Column 1 | Column 2 | Column 3 |
|----------|----------|----------|----------|----------|----------|
| 1        | 3.78m    | 2.74m    | 28       | 3.20m    | 2.95m    |
| 2        | 2.74m    | 1.80m    | 29       | 3.38m    | 3.20m    |
| 3        | 1.80m    | 0.94m    | 30       | 3.56m    | 3.38m    |
| 4        | 0.94m    | 0.89m    | 31       | 3.76m    | 3.56m    |
| 5        | 0.89m    | 0.84m    | 32       | 3.96m    | 3.76m    |
| 6        | 0.84m    | 0.81m    | 33       | 4.24m    | 3.96m    |
| 7        | 0.81m    | 0.76m    | 34       | 4.52m    | 4.24m    |
| 8        | 0.76m    | 0.71m    | 35       | 4.83m    | 4.52m    |
| 9        | 0.84m    | 0.76m    | 36       | 5.13m    | 4.83m    |
| 10       | 0.91m    | 0.84m    | 37       | 5.49m    | 5.13m    |
| 11       | 0.99m    | 0.91m    | 38       | 5.87m    | 5.49m    |
| 12       | 1.09m    | 0.99m    | 39       | 6.25m    | 5.87m    |
| 13       | 1.12m    | 1.09m    | 40       | 6.63m    | 6.25m    |
| 14       | 1.14m    | 1.12m    | 41       | 6.76m    | 6.63m    |
| 15       | 1.17m    | 1.14m    | 42       | 6.86m    | 6.76m    |
| 16       | 1.19m    | 1.17m    | 43       | 6.98m    | 6.86m    |
| 17       | 1.32m    | 1.19m    | 44       | 7.11m    | 7.04m    |
| 18       | 1.42m    | 1.32m    | 45       | 7.06m    | 7.01m    |

|    |       |       |    |       |       |
|----|-------|-------|----|-------|-------|
| 19 | 1.55m | 1.42m | 46 | 7.04m | 6.98m |
| 20 | 1.68m | 1.55m | 47 | 7.01m | 6.93m |
| 21 | 1.83m | 1.68m | 48 | 6.98m | 6.73m |
| 22 | 1.96m | 1.83m | 49 | 6.43m | 5.89m |
| 23 | 2.11m | 1.96m | 50 | 5.89m | 5.41m |
| 24 | 2.26m | 2.11m | 51 | 5.41m | 4.93m |
| 25 | 2.49m | 2.26m | 52 | 4.93m | 3.78m |
| 26 | 2.72m | 2.49m | 53 | 4.37m | 3.28m |
| 27 | 2.95m | 2.72m |    |       |       |

(ii) The Water Company shall allow any person interested to inspect and examine any such gauge in the said reservoir and any records made thereby or kept by them in connection therewith and to take copies of any such records.

(iii) These conditions 1.1 and 1.2 and condition 1.1 in the Drought Permit Serial number DP2025-2/27/05/011 are coincident and not cumulative.

1.3 Subject to conditions 3.1.3 and 3.3 of this permit, if the group reservoir stocks are below the South Area Reservoir Group Drought Control Line defined in the Water Company's Drought Plan 2022 dated 29 April 2022 ('the 2022 Drought Plan') for a period of four consecutive weeks or longer, then the Water Company shall make a uniform and continuous release of compensation flow of not less than 5,330 cubic metres per day from Underbank Reservoir over or through the Underbank Gauge to the Little Don River (or the Porter River) at National Grid Reference SK 25331 9915 (or such other location as specified in writing by the Agency) until group reservoir stocks have increased to and remained at or above the South Area Reservoir Group Drought Control Line for a period of six consecutive weeks or longer, upon which the Water Company must return to the compensation flow specified in condition 1.1.

1.4 Subject to conditions 3.1.3 and 3.3 of this permit, Condition 9.6 of the Licence is substituted with the following:

The Water Company shall make a uniform and continuous release of compensation water from Langsett Reservoir to the Little Don River (or The Porter River ) at National Grid Reference SE 21438 00334 every day using the quantities shown in Table 1 below for the relevant month of release under the regime marked Drought Plan Trigger 1(Upper Band).

Provided that:

(i) During any period when the distance in metres between the water level in the reservoir and top water level at 9:00am on any given Monday is measured to be equal to or less than the Upper control line (as specified in Table 2) for the corresponding week (the first Monday in each calendar year being numbered 1 and each succeeding Monday being numbered consecutively thereafter), then:

- a) the compensation regime will be in the Trigger 1 Upper Band (as specified in Table 1) from no later than Thursday of that week,

OR

- b) the compensation regime will be the Trigger 3 Upper Band (as specified in Table 1) from no later than Thursday of that week during any period when the group reservoir stocks are below the South Area Reservoir Group Drought Control Line as defined in the Water Company's Drought Plan 2022 dated 29 April 2022 ("the 2022 Drought Plan") for a period of more than four consecutive weeks.

(ii) During any period when the distance between water level in the reservoir and top water level measured at 9:00am on any given Monday is greater than or equal to Lower control line (Table 2) for that corresponding week then:

- a) the compensation regime will be in the Trigger 2 Lower Band (as specified in Table 1) from no later than Thursday of that week,

OR

- b) the compensation regime will be in the Trigger 4 Lower Band (as specified in Table 1) from no later than Thursday of that week during any period when the group reservoir stocks are below the South Area Reservoir Group Drought Control Line defined in the Water Company's Drought Plan 2022 dated 29 April 2022 ("the 2022 Drought Plan") for a period of more than four consecutive weeks.

(iii) During any period when the distance between the actual water level in the reservoir and the top water level measured at 9:00am on any given Monday is between lower and upper control lines as specified in Table 2, the compensation regime shall remain in the same band as the previous week.

Table 1: Compensation flow release regime from Langsett reservoir for this Drought Permit.

|  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct  | Nov  | Dec  |
|--|------|------|------|------|------|------|------|------|------|------|------|------|
| Drought Plan Trigger 1 (Upper Band) Reduction (megalitres per day) | 3.5  | 3.5  | 3.5  | 2.5  | 1.75 | 1.75 | 1.75 | 1.75 | 1.75 | 2.5  | 3.5  | 3.5  |
| Drought Plan Trigger 2 (Lower Band) reduction (megalitres per day) | 2    | 2    | 2    | 1.5  | 1    | 1    | 1    | 1    | 1    | 1.5  | 2    | 2    |
| Drought Plan Trigger 3 (Upper Band) Reduction (megalitres per day) | 2.33 | 2.33 | 2.33 | 1.66 | 1.17 | 1.17 | 1.17 | 1.17 | 1.17 | 1.66 | 2.33 | 2.33 |
| Drought Plan Trigger 4 (Lower Band) reduction (megalitres per day) | 1.33 | 1.33 | 1.33 | 1    | 0.67 | 0.67 | 0.67 | 0.67 | 0.67 | 1    | 1.33 | 1.33 |

Table 2: Compensation control lines as measured in metres below Top Water Level (TWL) [metres below TWL]

| Week No | Upper control line (m below TWL) | Lower control line (m below TWL) | Week No | Upper control line (m below TWL) | Lower control line (m below TWL) |
|---------|----------------------------------|----------------------------------|---------|----------------------------------|----------------------------------|
| 1       | 2.10m                            | 2.75m                            | 27      | 3.22m                            | 3.90m                            |
| 2       | 1.72m                            | 2.35m                            | 28      | 3.37m                            | 4.06m                            |
| 3       | 1.35m                            | 1.96m                            | 29      | 3.53m                            | 4.23m                            |
| 4       | 0.98m                            | 1.58m                            | 30      | 3.69m                            | 4.39m                            |
| 5       | 0.62m                            | 1.21m                            | 31      | 3.77m                            | 4.47m                            |
| 6       | 0.57m                            | 1.16m                            | 32      | 3.84m                            | 4.55m                            |
| 7       | 0.47m                            | 1.06m                            | 33      | 3.92m                            | 4.63m                            |
| 8       | 0.41m                            | 1.00m                            | 34      | 3.99m                            | 4.71m                            |
| 9       | 0.35m                            | 0.94m                            | 35      | 4.07m                            | 4.79m                            |
| 10      | 0.45m                            | 1.04m                            | 36      | 4.41m                            | 5.14m                            |
| 11      | 0.54m                            | 1.13m                            | 37      | 4.76m                            | 5.51m                            |
| 12      | 0.63m                            | 1.23m                            | 38      | 5.11m                            | 5.88m                            |
| 13      | 0.73m                            | 1.33m                            | 39      | 5.61m                            | 6.41m                            |
| 14      | 0.82m                            | 1.43m                            | 40      | 5.61m                            | 6.41m                            |
| 15      | 0.90m                            | 1.50m                            | 41      | 5.61m                            | 6.41m                            |
| 16      | 0.97m                            | 1.58m                            | 42      | 5.61m                            | 6.41                             |
| 17      | 1.05m                            | 1.66m                            | 43      | 5.61m                            | 6.41m                            |
| 18      | 1.13m                            | 1.74m                            | 44      | 5.01m                            | 5.77                             |
| 19      | 1.33m                            | 1.95m                            | 45      | 4.43m                            | 5.16m                            |
| 20      | 1.54m                            | 2.17m                            | 46      | 3.87m                            | 4.58m                            |
| 21      | 1.76m                            | 2.39m                            | 47      | 3.33m                            | 4.01m                            |
| 22      | 1.97m                            | 2.61m                            | 48      | 2.88m                            | 3.55m                            |
| 23      | 2.23m                            | 2.87m                            | 49      | 2.63m                            | 3.30m                            |
| 24      | 2.48m                            | 3.14m                            | 50      | 2.39m                            | 3.05m                            |
| 25      | 2.76m                            | 3.42m                            | 51      | 2.16m                            | 2.80m                            |
| 26      | 2.86m                            | 3.53m                            | 52      | 1.92m                            | 2.56m                            |

The 'South Area Reservoir Group Drought Control Line' is shown in Figure 2.1 in Section 2.1 of the 2022 Drought Plan marked 'DCL' in the graph for the South Area Reservoir Group (with the left-hand vertical axis representing in percentage terms the reservoir stocks).

The Underbank Gauge means the gauge so designated by Section 53 of the Sheffield Corporation (Consolidation) Act 1918.

## 2. ENVIRONMENTAL MONITORING

- 2.1 The Water Company shall undertake environmental monitoring as set out in Appendices 1 and 2 attached to this drought permit.

## 3. MITIGATION CONDITIONS

- 3.1.1 If the monitoring identifies signs of environmental impacts, including but not limited to fish in distress, a pollution incident, water quality deterioration, algae blooms or spread of invasive non-native species, the following actions shall be undertaken by the Water Company:

- 3.1.2 (i) Upon finding any signs of environmental impacts the Water Company shall as soon as practically possible notify the Agency in writing and by telephone on 0800 80 70 60 and shall provide details of the signs of distress and the location;

(ii) a remedial course of action to address the signs of environmental impacts shall be formulated by the Water Company (and amended by the Agency as necessary) and implemented as directed in writing by the Agency.

- 3.1.3 If, upon being notified of any signs of environmental impacts in accordance with condition 3.1.2(i), or at its own instigation, the Agency gives written notice that there is a disruption to the ecology, the Water Company shall increase compensation flow from either Underbank reservoir and/or Langsett Reservoir to the Little Don River (or The Porter) at National Grid References SK 25331 99154 and SE 21438 00334 respectively (or such other location as agreed in writing by the Agency) to a rate of not less than 16,000 cubic metres per day from Underbank Reservoir, to a rate no less than the quantities shown in Table 1 of condition 9.6 of the Licence for the relevant month of release from Langsett Reservoir, or to such lesser quantity as may be agreed in writing by the Agency. The reservoir from which the compensation flow must be increased will be specified in writing by the Agency.

The Water Company shall commence the stated compensation flows as soon as possible and within 48 hours of receipt of written notification from the Agency.

The Water Company shall not reduce compensation flows back to those specified in conditions 1.1 and 1.4 until the Water Company has confirmed in writing that appropriate remedial action has been taken, and the Agency has confirmed in writing that it is satisfied with this.

- 3.2 The changes to the compensation water specified in conditions 1.1, 1.2, 1.3, 1.4, 3.1.3 and 3.3 of this drought permit shall be made in a steady and controlled manner, at a rate so as not to cause any flooding of land, disturbance to water users downstream, any adverse effects on the quality of water in the inland water or any adverse impacts on the ecology of the inland water or dependent ecosystems.

### 3.3 **Temporary Flow Adjustment**

If, upon being notified by the Agency, or upon discovering through environmental monitoring or other evidence, that an increase in compensation flow is needed to support riverine ecology, as identified in the Water Company Environmental Monitoring Plan South Area Appendix A.4, the Water Company shall increase compensation flow at a time, to a rate and for a duration, as agreed in writing by the Agency, and release from either Underbank reservoir and/or Langsett Reservoir (whichever is specified by the Agency), to the Little Don River (or the Porter River) at National Grid References SK 25331 99154 and SE 21438 00334 respectively (or such other location as agreed in writing by the Agency).

### 3.4 **Combined Sewer Overflows (CSOs) and Wastewater Treatment Works (WwTWs)**

(i) The additional monitoring and maintenance activities specified in the (2025) *Combined Sewer Overflows Optimisation and Maintenance for Drought Plan and/or the (2025) Wastewater Treatment Works Optimisation and Maintenance for Drought Plan* shall be applied by the Water Company to the following assets, in accordance with Appendix A of the same plan:

Herries Road No 2 CSO discharging at National Grid Reference SK 33767 90737

Brinsworth Street CSO discharging at National Grid Reference SK 42306 92630

Jordan CSO discharging at National Grid Reference SK 40810 92245

Marsh Street CSO discharging at National Grid Reference SK 42350 92230

Masbrough Street CSO discharging at National Grid Reference SK 42066 92590

Union Street CSO discharging at National Grid Reference SK 41760 92810

Vickers Road CSO discharging at National Grid Reference SK 36777 91072

Blackburn Meadows STW discharging at National Grid Reference SK 40250 92110

Manchester Road Weir CSO discharging at National Grid Reference SK 28483 98153

(ii) Any CSO or WwTW not identified in Appendix A4 but subsequently deemed by the Water Company or the Agency to risk adverse impact to a watercourse while compensations flows are reduced.

## 4. **FURTHER CONDITIONS**

4.1 Unless the Agency otherwise agrees in writing, this drought permit shall have no effect unless the Water Company has imposed Temporary Use Ban restrictions from the 2022 Drought Plan for the Grid Resource Zone, and such restrictions remain in force.

**APPENDIX 1**  
**ENVIRONMENTAL MONITORING SCHEDULE: STANDARD SCHEDULE –**  
**COMPENSATION RELEASES FROM UNDERBANK RESERVOIR**

|  |   |
|--|---|
| Assessment Type                            | <p>Surveillance walkover surveys of habitat quality and ecological stress, recording signs of environmental impacts</p> <p>The Water Company shall not make any changes to this monitoring schedule without the Agency's prior written agreement.</p>   |
| Duration of Monitoring                     | <p>The environmental monitoring surveys shall take place from the first day that the total compensation flow to the Little Don River (or The Porter River) from Underbank reservoir is reduced under this drought permit until this drought permit expires or is revoked, unless otherwise agreed in writing by the Agency.</p>   |
| Environmental Impacts                      | <p>The following are suggested signs of environmental impacts but are not exhaustive. If advice is required, then the Agency can be contacted on 0800 80 70 60.</p> <ul style="list-style-type: none"> <li>• Fish in distress, for example gasping at the surface or leaping out of the water.</li> <li>• Dead fish.</li> <li>• Concentration of fish in restricted areas/pools which could increase susceptibility to predation.</li> <li>• Inhibition of movement of fish past river structures or other barriers.</li> <li>• Reduced habitat availability for adult and juvenile life stages (including spawning/nursery areas).</li> <li>• Reduced depth of flow over brown trout redds.</li> <li>• Signs of polluting discharges during walkover surveys, problems exacerbated during lower flows and/or reduced dilution.</li> <li>• Algal blooms.</li> <li>• Establishment and/or expansion of invasive non-native species.</li> </ul>   |
| Monitoring Method & Standard of Assessment | <p>The Water Company shall measure and record the following information. For all environmental impacts identified:</p> <ul style="list-style-type: none"> <li>• The location of the site of environmental impacts observed.</li> <li>• A photo or photos should be taken of any signs of environmental distress.</li> <li>• Weather conditions at the time of the observations.</li> <li>• Dissolved oxygen concentration measurements shall be taken and recorded anywhere in the survey area where signs of environmental stress are identified</li> <li>• Ammonium concentration measurements shall be taken and recorded anywhere in the survey area where signs of environmental stress are identified</li> </ul> <p>Where relevant to the environmental impact observed:</p> <ul style="list-style-type: none"> <li>• Approximate number of dead fish.</li> <li>• Any signs of damage or disease.</li> <li>• Approximate number of fish in distress, gasping at the surface or leaping out of the water.</li> <li>• Whether the fish are being stranded in shallow pools.</li> <li>• Depth of water over brown trout redds</li> <li>• Description of structures and stretches of any watercourses that have no flow or significantly reduced flow.</li> </ul> |



|                         |  |
|-------------------------|--|
|                         | <ul style="list-style-type: none"> <li>• Approximate size of the fish affected.</li> <li>• The species affected.</li> <li>• Signs of pollution.</li> <li>• Presence of algal blooms/scums.</li> <li>• Species, location, and extent of invasive non-native species.</li> </ul>   |
| Frequency of monitoring | On the day of any flow reductions implemented under conditions 1.1, 1.2, 1.3, 3.1.3 or 3.3, the day after and then weekly thereafter until no further flow reductions are made. If no signs of environmental impacts are noted from two consecutive walkover surveys no further walkover surveys are necessary until there are further flow reductions.  |
| Location of Monitoring  | <ul style="list-style-type: none"> <li>• Don 3: 500m located within SK 29768 95925 to SK 29890 95506</li> <li>• Don 4: 500m located within SK 310499 3598 to SK 30794 93327 (incorporating Upper River Don: Deepcar to Hillsborough LWS)</li> <li>• <u>Don 4: fish pass effectiveness only:</u> Locally at Wharnccliffe Side Weir fish pass SK 29925 94461 and at Niagara Weir fish pass SK 32867 91532</li> <li>• Don 5 - 500m located within SK 36552 88196 to SK 37000 88100</li> <li>• Don 5 - 500m located within SK 38207 89566 to SK 38460 90002 (sheffield)</li> <li>• Don 5 - 500m located within SK 41107 91682 to SK 41568 91834 (Ickles)</li> <li>• <u>Don 5 -fish pass effectiveness only:</u> Locally at Steelbank Weir fish pass SK 34465 88670, Kelham Weir fish pass SK 35030 88270, Lady's Bridge Weir fish pass SK 35714 87797, Walk Mill Weir fish pass SK 36208 88114, Burton's Weir fish pass SK 36767 88219, Sanderson's Weir fish pass SK 37240 88920, Brightside Weir fish pass SK 38680 90140, Hadfield's Weir fish pass SK 39015 91004, Jordan's Weir fish pass SK 40272 92031, and Ickles Weir fish pass SK 41792 91871</li> <li>• Little Don 1 - 500m located within SK 25314 99132 to SK 25727 99038 and 500m located within SK 28497 98162 to SK 28918 98075, and 500m located within SK2560399084 to SK2602498890</li> </ul> |
| Survey Results          | <p>Weekly for the duration of the drought permit, the Water Company shall provide to the Agency in the form of a calendar week report, the following details:</p> <p>i) Monitoring data as required by condition 2.1,</p> <p>The report shall be sent to <a href="mailto:drought.yorkshire@environment-agency.gov.uk">drought.yorkshire@environment-agency.gov.uk</a></p> <p>Note: a calendar week is a period of 7 consecutive days beginning on a Monday.</p>  |
| Responsibility          | <p>Unless otherwise discussed and agreed in writing, the Water Company will be responsible for all of the costs associated with this monitoring programme.</p> <p>Health and safety requirements whilst carrying out the surveys are the responsibility of the Water Company.</p>  |

**APPENDIX 2**  
**ENVIRONMENTAL MONITORING SCHEDULE: STANDARD SCHEDULE –**  
**COMPENSATION RELEASES FROM LANGSETT RESERVOIR**

|  |   |
|--|---|
| Assessment Type                            | <p>Surveillance walkover surveys of habitat quality and ecological stress, recording signs of environmental impacts</p> <p>The Water Company shall not make any changes to this monitoring schedule without the Agency's prior written agreement.</p>   |
| Duration of Monitoring                     | <p>The environmental monitoring surveys shall take place from the first day that the total compensation flow to the Little Don River (or The Porter River) from Langsett Reservoir is reduced under this drought permit until this drought permit expires or is revoked, unless otherwise agreed in writing by the Agency.</p>  |
| Environmental Impacts                      | <p>The following are suggested signs of environmental impacts but are not exhaustive. If advice is required, then the Agency can be contacted on 0800 80 70 60.</p> <ul style="list-style-type: none"> <li>• Fish in distress, for example gasping at the surface or leaping out of the water.</li> <li>• Dead fish.</li> <li>• Concentration of fish in restricted areas/pools which could increase susceptibility to predation.</li> <li>• Inhibition of movement of fish past river structures or other barriers.</li> <li>• Reduced habitat availability for adult and juvenile life stages (including spawning/nursery areas).</li> <li>• Reduced depth of flow over brown trout redds.</li> <li>• Signs of polluting discharges during walkover surveys, problems exacerbated during lower flows and/or reduced dilution.</li> <li>• Algal blooms.</li> <li>• Establishment and/or expansion of invasive non-native species.</li> </ul>   |
| Monitoring Method & Standard of Assessment | <p>The Water Company shall measure and record the following information. For all environmental impacts identified:</p> <ul style="list-style-type: none"> <li>• The location of the site of environmental impacts observed.</li> <li>• A photo or photos should be taken of any signs of environmental distress.</li> <li>• Weather conditions at the time of the observations.</li> <li>• Dissolved oxygen concentration measurements shall be taken and recorded anywhere in the survey area where signs of environmental stress are identified</li> <li>• Ammonium concentration measurements shall be taken and recorded anywhere in the survey area where signs of environmental stress are identified</li> </ul> <p>Where relevant to the environmental impact observed:</p> <ul style="list-style-type: none"> <li>• Approximate number of dead fish.</li> <li>• Any signs of damage or disease.</li> <li>• Approximate number of fish in distress, gasping at the surface or leaping out of the water.</li> <li>• Whether the fish are being stranded in shallow pools.</li> <li>• Depth of water over brown trout redds</li> <li>• Description of structures and stretches of any watercourses that have no flow or significantly reduced flow.</li> </ul> |

|                         |   |
|-------------------------|---|
|                         | <ul style="list-style-type: none"> <li>• Approximate size of the fish affected.</li> <li>• The species affected.</li> <li>• Signs of pollution.</li> <li>• Presence of algal blooms/scums.</li> <li>• Species, location, and extent of invasive non-native species.</li> </ul>  |
| Frequency of monitoring | On the day of any flow reductions implemented under conditions 1.4, 3.1.3 or 3.3, the day after and then weekly thereafter until no further flow reductions are made. If no signs of environmental impacts are noted from two consecutive walkover surveys no further walkover surveys are necessary until there are further flow reductions.   |
| Location of Monitoring  | <ul style="list-style-type: none"> <li>• Little Don 0 - 500m located within SE 2154 0029 to SE 2197 0041</li> </ul>   |
| Survey Results          | <p>Weekly for the duration of the drought permit, the Water Company shall provide to the Agency in the form of a calendar week report, the following details:</p> <p>i) Monitoring data as required by condition 2.1,</p> <p>The report shall be sent to <a href="mailto:drought.yorkshire@environment-agency.gov.uk">drought.yorkshire@environment-agency.gov.uk</a></p> <p>Note: a calendar week is a period of 7 consecutive days beginning on a Monday.</p> |
| Responsibility          | <p>Unless otherwise discussed and agreed in writing, the Water Company will be responsible for all of the costs associated with this monitoring programme.</p> <p>Health and safety requirements whilst carrying out the surveys are the responsibility of the Water Company.</p>   |

## ADDITIONAL INFORMATION

Note: the following is provided for information only. It does not form part of the drought permit

### REASONS FOR MODIFICATIONS AND CONDITIONS

#### Mitigation

Condition 3 of this drought permit has been included to mitigate against any environmental impacts that may be caused by or affected by the Water Company reducing compensation flows.

The Agency will take into consideration any other actions the Water Company are taking or plan to take in order to mitigate effects on the environment, such as mitigation actions identified in their 'Drought Plan: Environmental Assessment Report – South Area Reservoirs', August 2025.

#### Temporary Flow Adjustment

Condition 3.3 allows for compensation flows to be temporarily increased from the quantities specified under conditions 1.1, 1.2 and 1.4 through the range of flows up to the maximum authorised under the Licence. The 'In Drought Mitigation Options' of Yorkshire Water's Environmental Monitoring Plan identifies Freshet Flows in the context of this drought permit as;

IDMIT\_E1 - Gradual or temporary adjustments to abstraction or compensation flows to prevent stranding, displacement, or stress in sensitive aquatic species (e.g. fish, macroinvertebrates, white-clawed crayfish).

#### Combined Sewer Overflows (CSOs) and Wastewater Treatment Works (WwTWs)

Condition 3.4 identifies the CSO assets where the risk of adverse impact has been established. The implementation of the measures detailed in this plan is referred to as:

- **IDMON\_WSWQ2** CSO Monitoring in the South Area Reservoirs Environmental Monitoring Plan (EMP) dated June 2025.

The reaches of watercourse identified as at risk of adverse impact through the CSOs detailed in condition 3.4 are defined in the South Area Reservoirs EMP dated June 2025 which, in the context of this permit, are:

- Little Don 1
- Don 4
- Don 5

The Water Company or the Agency may deem it necessary to implement the monitoring and maintenance measures on CSO assets that are not listed in the above-mentioned plan. Condition 3.4 (ii) provides for this possibility.

#### Monitoring Locations

The Monitoring Locations referred to in Appendix 1 and Appendix 2 is the downstream points reaches where monitoring is required, in accordance with Water Company EMP South Area dated June 2025, respectively termed **IDMON\_WSE** Surveillance walkover surveys of habitat quality and ecological stress, recording signs of environmental impacts and **IDMIT-H1** Third-party abstraction.

**IMPORTANT NOTES****Definition of a day**

A day means any period of 24 consecutive hours.

**Temporary Use ban**

You must follow your 2022 drought plan and implement a Temporary Use Ban (under sections 76 and 76A – C of the Water Industries Act 1991) before using the powers granted by this permit, unless the Agency agrees that such ban is not necessary due to the circumstances at the time.

**Environmental Monitoring Plan**

The conditions and monitoring incorporated in this permit are in addition to the Environmental Monitoring Plan agreed between the Agency and the Water Company.

**Contact Details**

For the purpose of condition 3.1.2, the Water Company shall notify the Agency via email to: [drought.yorkshire@environment-agency.gov.uk](mailto:drought.yorkshire@environment-agency.gov.uk) and by telephone on 0800 80 70 60 and make reference to that fact that this is in regard to the 'Underbank (Langsett) Drought Permit.'

For the purpose of condition 3.3, the Water Company shall, prior to making any increase in compensation flows, first seek agreement of the Agency via email to: [drought.yorkshire@environment-agency.gov.uk](mailto:drought.yorkshire@environment-agency.gov.uk) and by telephone on 0800 80 70 60 and make reference to that fact that this is in regard to the 'Underbank (Langsett) Drought Permit.'