

From: EIR Compliance

To:

Subject: 20250929 - EIR - Data Supplied

Date: 29 September 2025 09:03:00

Attachments: EIR - Site List.csv

Reference Number: **EIR**

Dear

We refer to your request for information submitted to Yorkshire Water dated 1 September 2025:

- ""- A list of all Water Recycling Centres (WRCs) within your operational region.*
- The planning/pre-planning response associated with each WRC.*
 - Catchment boundaries for each WRC."*

We wrote to you on the 17 September 2025 to request the following clarification:

The Yorkshire Water Services Ltd Data Protection Team acknowledged your request on 31 August 2025 for information regarding:

- ""- A list of all Water Recycling Centres (WRCs) within your operational region.*
- The planning/pre-planning response associated with each WRC.*
 - Catchment boundaries for each WRC."*

Please can you clarify the following point, where you reference water recycling centres do you mean sewage treatment works?

You confirmed in your response on the 17 September 2025 that you meant sewage treatment works.

Included with this email is our response to your request.

Question 1:

Please see attached spreadsheet titled 'STW Site List'.

Question 2:

The local authority planning records for all works that require planning permission are public record and can be readily accessed via the local authorities publicly available records by entering in the keyword of the treatment work you require. You will be able to see the works that required planning permission. The council records cover a large period of time. Yorkshire Water has extensive permitted development rights on operational sites and the majority of the work are done as a matter of course, where planning permission is required you will be able to access this information publicly as detailed above

Question 3:

We do have our Cycle 1 DWMP catchment boundaries published online already, this can be public accessed via: <https://drainage-and-wastewater-management-plan-yorkshire-water.hub.arcgis.com/pages/dwmp-hierarchy~2c8c1f2571204944b81aa9530f73299d> in response to question 3.

We trust that the provision of this data satisfies your request. In accordance with the Environmental Information Regulations 2004, if you are not satisfied with this reply to your request you can ask for an internal review. A request for an internal review must be submitted within 40 working days by contacting the Data Protection Team.

Thank you for contacting Yorkshire Water.

Yours sincerely,

Data Protection Team

Email: EIR@Yorkshirewater.co.uk