

From: EIR Compliance

To:

Subject: 20250219 – EIR Response– No data Held

Date: 19 February 2026 16:53:00

Reference Number: **EIR**

Dear

We refer to your request for Environmental information submitted to Yorkshire Water dated 26 January for the following:

“Documents concerning Yorkshire Water's position in relation to Drax power station's plans for a data centre and the York and North Yorkshire AI Growth Zone bid:

- *Any submissions made by Yorkshire Water for the York and North Yorkshire AI Growth Zone bid*
- *Meeting minutes, agendas and associated briefing notes regarding these developments held from 1 May 2025 to the present day between Yorkshire Water and the York and North Yorkshire Combined Authority or North Yorkshire Council as part of their duty to cooperate*
- *The pre-development enquiry response and any statement of common ground for these developments/proposals*

Any impact reports or capacity studies conducted from 1 January 2025 to the present day regarding these developments”

The data protection team have conversed with the business and have established we do not hold any of the requested data. As such for the purposes of paragraph 12(4) a public authority may refuse to disclose information to the extent that (a) it does not hold that information when an applicant's request is received.

We trust that the provision of this data satisfies your request. In accordance with the Environmental Information Regulations 2004, if you are not satisfied with this reply to your request you can ask for an internal review. A request for an internal review must be submitted within 40 working days by contacting the Data Protection Team.

Thank you for contacting Yorkshire Water.

Yours sincerely,

Data Protection Team

Email: EIR@Yorkshirewater.co.uk