

From: EIR Compliance

To:

Subject: 20250318 - EIR - Data Supplied

Date: 18 March 2025 10:08:00

Reference Number: **EIR**

Dear

I refer to your request for information submitted to Yorkshire Water dated 27 February 2025.

Please find attached the data which you have requested in relation to any work schedules and inspections for the works done on the B6480 around the junction of Butts Lane High Bentham between 1 December 2023 and 10 June 2024.

03.01.2024 - 27816416 - SF02-SFO S81 Highway Request

Site visit 18.12.23 and raised 3.1.24. 1 of 2. both lids in same patch. 10mm Stone Mastic Asphalt (SMA) Road: 2.2m x 1m (average width). Replace the loose and sunken, marked 2 Sluice Valve lid and frame. Wrekin 430mm x 280mm Sluice Valve lid, frame, 2 poly sects, envirobed (env) mortar and Envirobed flowable (evf), all required.

Temporary tarred 18.12.23.

3.1.24 Road closure/diversion out of hours (19.00 - 06.00) and re-open for 06.00 the next morning. 30mph road.

03.01.2024 - 27824052 - SF02-SFO S81 Highway Request

Site visit 18.12.23 and raised 3.1.24. 2 of 2. both lids in same patch. 10mm Stone

Mastic Asphalt (SMA) Road: 2.2m x1m (average width). replace the small split 150mm x 150mm Sluice Valve lid and frame. 2 poly sects, envirobed (env) mortar and Envirobed flowable (evf),

Temporary tarred 18.12.23.

3.1.24 road closure/diversion out of hours (19.00 – 06.00) and re-open for 06.00 the next morning. 30mph road.

03.01.2024 – 27824081 – TM01 TMA/NRSWA Assistance

Out Of Hours (OOH), Same Day Reinstatement (SDR) Road Closure, late as possible set up clear for 6am. patch is in centre of carriageway.

I trust that the provision of this data satisfies your request. In accordance with the Environmental Information Regulations 2004, if you are not satisfied with this reply to your request you can ask for an internal review. A request for an internal review must be submitted within 40 working days by contacting the Data Protection Team.

Thank you for contacting Yorkshire Water.

Yours sincerely,

Data Protection Team

Email: EIR@Yorkshirewater.co.uk