

From: EIR Compliance

To:

Subject: 20260108 - EIR

Date: 08 January 2026 10:04:31

Reference Number: **EIR**

Dear

We refer to your request for information submitted to Yorkshire Water dated 11 December 2025:

"I wonder might I ask some questions concerning closure of sewage treatment facilities and diverting the foul load forward to neighbouring treatment facilities.

Could you advise details of any STW closures, conversion to Pumping Station and pumping foul load to nearby sewage treatment facility.

1) Please supply details for assets where this has become operational since 2005. Please include name of closed site and name of receiving site.

2) Please supply details for assets where this change is currently being implemented. Please include name of closing site and name of receiving site.

3) Please supply details for assets where this change is being planned for the future but no commencement has taken place. Please include name of closing site and name of receiving site."

Please find attached the data which you have requested. Included with this email is the response to your questions:

1) Please supply details for assets where this has become operational since 2005. Please include name of closed site and name of receiving site.

Decommissioned Works Name	Flows Diverted To Works Name	DGYearOccurred
BAGBY/STW	THIRSK/STW	2020
HILLAM/STW	SUTTON/STW	2020
STOCKSBRIDGE/STW	EWDEN/STW	2020
WITHERNSEA/NO 2 STW	HOLLYM MYERS LANE/STW	2023
FRYSTON VILLAGE/STW	CASTLEFORD/STW	2011
GREAT CLIFF/STW	CALDER VALE/STW	2011
SPENBOROUGH/STW	DEWSBURY/STW	2011
NORTH BIERLEY/STW	DEWSBURY/STW	2011
WOOLLEY COLLIERY/STW	DARTON/STW	2010
BURCROFT/STW	DENABY/NO 2 STW	2009

MEXBOROUGH/STW	DENABY/NO 2 STW	2009
SKIRLAUGH/STW	HULL/STW	2008
LITTLE HOUGHTON/STW		2008
FULSTONE/STW	NEILEY/NO 1 STW	2007
ADDINGHAM/STW	ILKLEY/STW	2007
CLOWNE LOW ROAD/STW	STAVELEY/STW	2006
PINDER GREEN/STW	LEMONROYD/STW	2006
SHORTWOOD/STW	WORSBOROUGH/STW	2006
THORNTON IN CRAVEN/STW	EARBY/STW	2006
TOLL BAR/STW	ADWICK/NO 2 STW	2006
UNSTONE/STW	OLD WHITTINGTON/STW	2006
MAPPLETON/STW	HORNSEA/STW	2006
WEST SCHOLES/STW	BRADFORD ESHOLT/STW	2005

ORGREAVE/STW	WOODHOUSE MILL/STW	2005
BURGHWALLIS/STW	ADWICK/NO 2 STW	2005

2) Please supply details for assets where this change is currently being implemented. Please include name of closing site and name of receiving site.

There are no current implementations, other than a partial transfer of some Wentworth flow to Aldwarke.

3) Please supply details for assets where this change is being planned for the future but no commencement has taken place. Please include name of closing site and name of receiving site.

The following are currently being considered, but are by no means certain to proceed.

Transfer of Harley to Wentworth

Transfer of Wentworth (including Harley) to Wombwell

Transfer of Cawthorne to Silkstone

Transfer of Sutton under Whitestone Cliff to Thirsk

Transfer of: Claxton, Flaxton and Sand Hutton to Haxby Walbutts

It is likely that a number of other transfer out options will be evaluated in AMP 8 period (2025-2030)

We trust that the provision of this data satisfies your request. In accordance with the Environmental Information Regulations 2004, if you are not satisfied with this reply to your request you can ask for an internal review. A request for an internal

review must be submitted within 40 working days by contacting the Data Protection Team.

Thank you for contacting Yorkshire Water.

Yours sincerely,

Data Protection Team

Email: EIR@Yorkshirewater.co.uk