

Modification of the quantity of water to be abstracted from the River Ouse

While this Order is in force:

1. Paragraph 9.1 of the Schedule of Conditions to the Licence is replaced with the following:

The aggregate quantity of water authorised to be abstracted under the Licence and licence 2/27/24/158 shall not exceed 210 MI/d when the flow in the River Ouse as gauged by the Agency at its flow gauging station at Skelton gauging station National Grid Reference SE 56832 55366 is equal to or less than 1,000 MI/d as may be notified by the Agency. The Agency's said gauging of the flow shall be conclusive.

2. Paragraph 9.2 of the Schedule of Conditions to the Licence is replaced with the following:

The aggregate quantity of water authorised to be abstracted under this licence NE/027/0024/065 and licence 2/27/24/158 shall not exceed 132 MI/d when the flow in the River Ouse as gauged by the Agency at its flow gauging station at Skelton gauging station National Grid Reference SE 56832 55366 is equal to or less than 650 MI/d as may be notified by the Agency. The Agency's said gauging of the flow shall be conclusive.

3. Paragraph 9.3 of the Schedule of Conditions to the Licence is replaced with the following:

The aggregate quantity of water authorised to be abstracted under this licence NE/027/0024/065 and licence 2/27/24/158 shall not exceed 70 MI/d when the flow in the River Ouse as gauged by the Agency at its flow gauging station at Skelton gauging station National Grid Reference SE 56832 55366 is equal to or less than 400 MI/d (7.523 cubic metres per second) as may be notified by the Agency. The Agency's said gauging of the flow shall be conclusive.

4. Paragraph 10.1 of the Schedule of Conditions of the YWSL Licence is replaced with the following:

Abstraction at all times under this licence shall reduce without delay to 210 MI/d when the flow in the River Ouse as measured at the Agency's gauging station at Skelton (NGR: SE568 554), is equal to or less than 1,000 MI/d (11.574 cubic metres per second (cumecs)).

5. Paragraph 10.2 of the Schedule of Conditions of the YWSL Licence is replaced with the following:

Abstraction at all times under this licence shall reduce without delay to 132 MI/d when the flow in the River Ouse as measured at the Agency's gauging station at Skelton is equal to or less than 650 MI/d.

6. Paragraph 9.3 of the Schedule of Conditions of the YWSL Licence is replaced with the following:

Abstraction at all times under this licence shall reduce without delay to 70 MI/d when the flow in the River Ouse as measured at the Agency's gauging station at Skelton is equal to or less than 400 MI/d.

Supplemental provision

Yorkshire Water Services Limited shall undertake the environmental monitoring as set out in the Schedule to this Order.

For and on behalf of the Secretary of State

Secretary of State for Environment, Food and Rural Affairs

Dated

SCHEDULE

ENVIRONMENTAL MONITORING SCHEDULE: STANDARD SCHEDULE

Assessment Type	To be confirmed
Duration of Monitoring	To be confirmed
Environmental Distress	To be confirmed
Monitoring Method & Standard of Assessment	To be confirmed
Frequency of monitoring	To be confirmed
Location of Monitoring	To be confirmed
Survey Results	To be confirmed
Responsibility	To be confirmed

ENVIRONMENTAL MONITORING SCHEDULE: SHORT-TERM POLLUTION SCHEDULE

Assessment Type	To be confirmed
Duration of Monitoring	To be confirmed
Environmental Distress	To be confirmed
Monitoring Method & Standard of Assessment	To be confirmed
Frequency of monitoring	To be confirmed
Location of Monitoring	To be confirmed
Survey Results	To be confirmed
Responsibility	To be confirmed

Any cumulative reach monitoring tables in additional appendices here.

ADDITIONAL INFORMATION

Note: the following information is provided for information only. It does not form part of the licence.

REASONS FOR MODIFICATIONS AND CONDITIONS

The Schedule of this Order has been included to make provision for environmental monitoring during the period this Order is effective.